

Ms. Carolyn Bury
U.S. Environmental Protection Agency
77 West Jackson Boulevard
Chicago, IL 60604-3590

Mr. James Moore
Illinois Environmental Protection Agency
1001 East North Grand Avenue
Springfield, IL 62702

Arcadis U.S., Inc.
6602 Excelsior Rd
Baxter
Minnesota 56425
Tel 218 829 4607

www.arcadis.com

Subject:
Former Koppers Wood-Treating Site – Carbondale, Illinois
February 2017 Status Report

ENVIRONMENT

Dear Ms. Bury and Mr. Moore:

Date:
April 3, 2017

Enclosed please find a status report for the above-referenced Site. This status report covers corrective-action-related activities performed during the month of February 2017, and identifies anticipated future activities for the next several months.

Contact:
David Bessingpas

Phone:
218.829.4607

Please feel free to contact me (218.829.4607), or Mr. Mike Slenska of Beazer (412.208.8867), with any questions.

Email:
david.bessingpas@arcadis.com

Sincerely,

Our ref:
B0039123.2017

Arcadis U.S., Inc.


David Bessingpas
Certified Project Manager

Copies:
Mike Slenska, P.E. – Beazer East, Inc.
Chip McChesney – Beazer East, Inc.

Status Report – February 2017

Former Koppers Wood-Treating Site
Carbondale, Illinois

Items Performed/Completed Since Previous Report:

- On February 27, 2017, FTS submitted to USEPA and IEPA the 2016 Annual RCRA Groundwater Monitoring Report.
- FTS conducted the first 2017 semiannual groundwater monitoring event.
- Beazer continued post-construction OMM activities (e.g., barrier trench DNAPL thickness measurements/removal, RW-23 groundwater/DNAPL removal, CAMU leachate monitoring/removal, Site inspections, etc.). Groundwater and DNAPL removal volumes are summarized as follows:

	RW-23 – Groundwater	RW-23 – DNAPL	South Trench Sump – DNAPL	North Trench Sump – DNAPL
February 2017 Total (gallons):	1,247	39	137	11
Cumulative Total (gallons):	159,665	8,497	20,554	753

Items Anticipated to be Performed/Completed over the Next One to Two Months:

- Beazer and USEPA will meet to discuss the ecological risk-based remedy, and various other open Site issues, as outlined in Beazer's January 31, 2017 letter.

Items Anticipated to be Performed/Completed over the Next Two to Six Months:

- Beazer will continue to advance proposed future Site uses.
- USEPA will prepare an Explanation of Significant Differences (ESD) document to summarize the basis for and scope of additional or modified remedial components relative to what was described in the 2004 Final Decision Document.

Items that May Cause Delay in Implementing Future Activities and Efforts (if any) to Limit Such Delays:

- None.